Page 2

In the Claims

1. (Currently Amended) A compound represented by Formula (I) or **(II)**:

OΓ

or a pharmaceutically acceptable salt thereof, wherein

HET-1 is one of the following heterocycles:

HET-2 is one of the following heterocycles:

R¹ is:

- (a) H;
- (b) C1-C6-alkyl, C2-C4-alkenyl, C2-C4-alkynyl,C1-C6-cycloalkyl, or C1-C4-alkyl-[C1-C6-cycloalkyl], any of which is optionally substituted with one or more of the following substituents: F, CF3, OH, O-(C1-C4)alkyl, S(O)0-2-(C1-C4)alkyl, O-CONRaRb, NRaRb, N(Ra)CONRaRb, COO-(C1-C4)alkyl, COOH, CN, CONRaRb, SO2NRaRb, N(Ra)SO2NRaRb, -C(=NH)NH2, tetrazolyl, triazolyl, imidazolyl, oxazolyl, oxazolyl, isooxazolyl, thiazolyl, furyl, thienyl, pyrazolyl, pyrrolyl, pyridyl, pyrimidinyl, pyrazinyl, phenyl, piperidinyl, morpholinyl, pyrrolidinyl or piperazinyl;
- (c) -O- C1-C6-alkyl, -O-C1-C6-cycloalkyl, -S-C1-C6-alkyl or -S-C1-C6-cycloalkyl, any of which is optionally substituted with one or more of the following substituents: F, CF3, OH, O-(C1-C4)alkyl, S(O)₀₋₂-(C1- C4)alkyl, O-CONRaRb, NRaRb, N(Ra)CONRaRb, COO-(C1-C4)alkyl, COOH, CN, CONRaRb, SO₂NRaRb, N(Ra)SO₂NRaRb, C(=NH)NH₂, tetrazolyl, triazolyl, imidazolyl, oxazolyl, oxadiazolyl, isooxazolyl, thiazolyl, furyl, thienyl, pyrazolyl, pyrrolyl, pyridyl, pyrimidinyl, pyrazinyl, phenyl, piperidinyl, morpholinyl, pyrrolidinyl or piperazinyl;
- $\begin{tabular}{ll} (d) $-C_0-C_4-alkyl-C_1-C_4-perfluoroalkyl, or $-O-C_0-C_4-alkyl-C_1-C_4-perfluoroalkyl; \end{tabular}$
- (e) -OH;
- (f) -O-aryl, or -O-C1-C4-alkyl-aryl, wherein aryl is phenyl, pyridyl, pyrimidinyl, furyl, thianyl, pyrrolyl, triazolyl, pyrazolyl, thiazolyl, isoxazolyl, oxazolyl, or oxadiazolyl, any aryl of which is optionally substituted with 1-3 substituents selected from i) F, Cl, Br, I, ii) -CN, iii) -NO2, iv) -C(=O)(Ra), v) -ORa, vi) -NRaRb, vii) -C0-4alkyl-CO-ORa, viii) -(C0-4alkyl)-NH-CO-ORa, ix) -(C0-4alkyl)-CO-N(Ra)(Rb), x) -S(O)0-2Ra, xi) -SO2N(Ra)(Rb), xii) -NRaSO2Ra, xiii) -C1-10alkyl, and xiv) -C1-10alkyl, wherein one or more of the alkyl carbons can be replaced by a -NRa-, -O-, -S(O)1-2-, -O-C(O)-, -C(O)-

O-, -C(O)-N(Ra)-, -N(Ra)-C(O)-, -N(Ra)-C(O)-N(Ra)-, -C(O)-, -CH(OH)-, -C=C-, or -C=C-;

- (g) -OCON(Ra)(Rb), or -OSO2N(Ra)(Rb);
- (h) -SH, or -SCON(Ra)(Rb);
- (i) NO2;
- (j) NRaRb, -N(CORa)Rb, -N(SO₂Ra)Rb, -N(Ra)CON(Ra)₂, -N(Ra)CONH₂, -N(ORa)CONRaRb, -N(Ra)CON(Ra)₂, or -N(Ra)SO₂N(Ra)₂;
- (k) -CH(ORa)Ra, -C(ORb)CF3, -CH(NHRb)Ra, -C(=O)Ra, C(=O)CF3, -SOCH3, -SO2CH3, -N(Ra)SO2Ra, COORa, CN, CONRaRb, -COCONRaRb, -SO2NRaRb, -CH2O-SO2NRaRb, SO2N(Ra)ORa, -C(=NH)NH2, -CRa=N-ORa, CH=CHCONRaRb, CONRa, CONHRa;
- (1) -CONRa(CH2)0-2C(Ra)(Rb)(CH2)0-2CONRaRb;
- (m) tetrazolyl, tetrazolinonyl, triazolyl, triazolinonyl, imidazolyl, imidozolonyl, oxazolyl, oxadiazolyl, isooxazolyl, thiazolyl, furyl, thienyl, pyrazolyl, pyrazolonyl, pyrrolyl, pyridyl, pyrimidinyl, pyrazinyl, or phenyl, any of which is optionally substituted with 1-3 independent substituents selected from i) F, Cl, Br, I, ii) -CN, iii) -NO2, iv) -C(=O)Ra, v) C1-C6-alkyl, vi) -O-Ra, vii) -NRaRb, viii) C0-C4-alkyl -CO-O Ra, ix) -(C0-C4-alkyl)-NH-CO-ORa, x) -(C0-C4-alkyl)-CO-NRa Rb, xi) -S(O)0-2Ra, xii) -SO2NRaRb, xiii) -NHSO2Ra, xiv) -C1-C4-perfluoroalkyl, and xv) -O-C1-C4-perfluoroalkyl;
- (n) -C(Ra)=C(Rb)-COORa, or -C(Ra)=C(Rb)-CONRaRb;
- (o) piperidin-1-yl, morpholin-4-yl, pyrrolidin-1-yl, piperazin-1-yl or 4-susbstituted piperazin-1-yl, any of which is optionally substituted with 1-3 substituents selected from

i) -CN, ii) -C(=O)(Ra), iii) C1-C6-alkyl , iv) -ORa, v) -NRaRb, vi) -C0-C4-alkyl-CO-ORa, vii) -(C0-C4-alkyl)-NH-CO-ORa, viii) -(C0-C4-alkyl)-CON(Ra)(Rb), ix) -SRa, x) -S(O)0-2Ra, xi) -SO2N(Ra)(Rb), xii) -NRaSO2Ra xiii) -C1-C4-perfluoroalkyl and xiv) -O-C1-C4-perfluoroalkyl;

Ra is

- (a) H;
- (b) C₁-C₄-alkyl, optionally substituted with one or more of the following substituents: F, CF₃, OH, O-(C₁-C₄)alkyl, S(O)₀₋₂-(C₁-C₄)alkyl, -OCONH₂, -OCONH(C₁-C₄alkyl), -OCONH(C₁-C₄alkyl), -OCONH(C₁-C₄alkyl), -OCONH(C₁-C₄alkyl), OCONH(C₁-C₄alkyl), NH₂, NH₂, NH₂, NH₃, NH₄C₁-C₄alkyl), N(C₁-C₄alkyl)(C₁-C₄alkyl), NH₅, NH₆C₁-C₄alkyl)

aryl), N(C1-C4alkyl)(C1-C4alkyl-aryl), NHCONH2, NHCONH(C1-C4alkyl), NHCONH(C1-C4alkyl), NHCONH(C1-C4alkyl-aryl), -NHCON(C1-C4alkyl)(C1-C4alkyl), NHCON(C1-C4alkyl)(C1-C4alkyl-aryl), N(C1-C4alkyl)CON(C1-C4alkyl), N(C1-C4alkyl)CON(C1-C4alkyl), COO+(C1-C4alkyl), COO+(C1-C4alkyl), COO+(C1-C4alkyl), COO+(C1-C4alkyl), SO2NH2, SO2NH(C1-C4alkyl), SO2NH(C1-C4alkyl), SO2NH(C1-C4alkyl), SO2NH(C1-C4alkyl), NHSO2NH2, -C(=NH)NH2, tetrazolyl, triazolyl, imidazolyl, oxazolyl, oxadiazolyl, isooxazolyl, thiazolyl, furyl, thienyl, pyrazolyl, pyrrolyl, pyridyl, pyrimidinyl, pyrazinyl, phenyl, piperidinyl, morpholinyl, pyrrolidinyl or piperazinyl;

(c) C₀-C₄-alkyl-(C₁-C₄)-perfluoroalkyl; or

(d)C1-C4-alkyl-aryl, wherein aryl is phenyl, pyridyl, pyrimidinyl, furyl, thienyl, pyrrolyl, triazolyl, pyrazolyl, thiazolyl, isoxazolyl, oxazolyl, or oxadiazolyl, any aryl of which is optionally substituted with 1-3 substituents selected from i) F, Cl, Br, I, ii) -CN, iii) -NO2, iv) -C(=O)(C1-C4-alkyl), v) -O(C1-C4-alkyl), vi) -N(C1-C4-alkyl)(C1-C4-alkyl), vii) -C1-10alkyl, and viii) -C1-10alkyl, wherein one or more of the alkyl carbons can be replaced by a , - O-, -S(O)1-2-, -O-C(O)-, -C(O)-O-, -C(O)-, -CH(OH)-, -C=C-, or -C=C-.

Rb is

- (a) H; or
- (b) C1-C6-alkyl, optionally substituted with one or more of the following substituents: F, CF3, OH, O-(C1-C4)alkyl, S(O)0-2-(C1-C4)alkyl, -OCONH2, -OCONH(C1-C4alkyl), NH2, NH, NH(C1-C4alkyl), N(C1-C4alkyl), N(C1-C4alkyl)(C1-C4alkyl), NHCONH2, NHCONH(C1-C4alkyl), -NHCON(C1-C4alkyl)(C1-C4alkyl), COO-(C1-C4-alkyl), COOH, CN, pyridyl, piperidinyl, pyrimidinyl, piperazinyl, CONH2 or (C1-C4alkyl)CONH2; or

 R^a and R^b , together with the N to which they are attached, can form a 5- or 6-membered ring which optionally contains a heteroatom selected from N, O, and S, and wherein said ring is optionally substituted with 1-3 substituents selected from i) F, Cl, Br, I, ii) -CN, iii) -NO₂, iv) -C(=O)(R^a), v) -ORa, vi) -NRaRb, vii) -C0_4alkyl-CO-ORa, viii) -(C0_4alkyl)-NH-CO-ORa, ix) -(C0_4alkyl)-CO-N(R^a)(R^b), x) -S(O)0-2 R^a , xii) -SO₂N(R^a)(R^b), xii) -NRaSO₂Ra, xiii) -C1_10alkyl, and xiv) -O-;

R² and R³ each independently is:

(a) H;

- (b) C1-C4-alkyl, or -O-C1-C4-alkyl;
- (c) -C0-C4-alkyl-C1-C4-perfluoroalkyl, or -O-C0-C4-alkyl-C1-C4-perfluoroalkyl; or
- (d) CN, N Ra Rb, NO₂, F, Cl, Br, I, OH, OCONRa Rb, O(C₁-C₄-alkyl)CONRa Rb, OSO₂NRa Rb, COORa, or CONRa Rb;

R⁴ and R⁵ each independently is:

- (a) H;
- (b) -C1-C6-alkyl, -C2-C6-alkenyl, -C2-C6-alkynyl or -C1-C6-cycloalkyl, any of which is optionally substituted with one or more of the following substituents: F, CF3, -O-(C1-C4)alkyl, CN, -N(Ra)(Rb), -N(Ra)CO-(C1-C4)alkyl, COORb, CON(Ra)(Rb) and phenyl; (c) -O-C0-C6-alkyl, -O-aryl, or -O-C1-C4-alkyl-aryl, wherein aryl is phenyl, pyridyl, pyrimidinyl, furyl, thienyl, pyrrolyl, triazolyl, pyrazolyl, thiazolyl, isoxazolyl, oxazolyl, or oxadiazolyl, any aryl of which is optionally substituted with 1-3 substituents selected from i) F, Cl, Br, I, ii) -CN, iii) -NO2, iv) -C(=O)(Ra), v) -ORa, vi) -NRaRb, vii) -C0-4alkyl-CO-ORa, viii) -(C0-4alkyl)-NH-CO-ORa, ix) -(C0-4alkyl)-CO-N(Ra)(Rb), x) -S(O)0-2Ra, xi) -SO2N(Ra)(Rb), xii) -NRaSO2Ra, xiii) -C1-10alkyl, and xiv) -C1-10alkyl, wherein one or more of the alkyl carbons can be replaced by a -NRa-, O-, -S(O)1-2-, -O-C(O)-, -C(O)-O-, -C(O)-N(Ra)-, -N(Ra)-C(O)-, -N(Ra)-C(O)-N(Ra)-, -C(O)-, -CH(OH)-, -C=C-, or -C=C-; (d) -C0-C4-alkyl-C1-C4-perfluoroalkyl, or -O-C0-C4-alkyl-C1-C4-perfluoroalkyl; or
- (e) CN, NH₂, NO₂, F, Cl, Br, I, OH, OCON(R^a)(R^b) O(C₁-C₄-alkyl)CONRaR^b, OSO₂N(R^a)(R^b), COOR^b, CON(R^a)(R^b), or aryl, wherein aryl is phenyl, pyridyl, pyrimidinyl, furyl, thienyl, pyrrolyl, triazolyl, pyrazolyl, thiazolyl, isoxazolyl, oxazolyl, or oxadiazolyl, any aryl of which is optionally substituted with 1-3 substituents selected from i) F, Cl, Br, I, ii) -CN, iii) -NO₂, iv) -C(=O)(R^a), v) -OR^a, vi) -NRaR^b, vii) -C0₋4alkyl-CO-OR^a, viii) -(C0₋4alkyl)-NH-CO-ORa, ix) -(C0₋4alkyl)-CO-N(Ra)(R^b), x) -S(O)₀₋₂Ra, xi) -SO₂N(Ra)(Rb), xii) -NRaSO₂Ra, xiii) -C1₋10alkyl, and xiv) -C1₋10alkyl, wherein one or more of the alkyl carbons can be replaced by a -NRa-, O-, S(O)₁₋₂-, -O-C(O)-, -C(O)-O-, -C(O)-N(Ra)-, -N(Ra)-C(O)-, -N(Ra)-C(O)-N(Ra)-, -C(O)-N(Ra)-, -C(O)-, -CH(OH)-, -C=C-, or -C≡C; and

R6, R7 and R8 each independently is:

- (a) H;

C4)alkyl, OCON(Ra)(Rb), NRaRb, COORa, CN, CONRaRb, N(Ra)CONRaRb, N(Ra)SO2NRaRb, SO2NRaRb, S(O)0-2(C1-C4-alkyl), -C(=NH)NH2, tetrazolyl, triazolyl, imidazolyl, oxazolyl, oxadiazolyl, isooxazolyl, thiazolyl, furyl, thienyl, pyrazolyl, pyriolyl, pyridyl, pyrimidinyl, pyrazinyl, phenyl, piperidinyl, morpholinyl, pyrrolidinyl, and piperazinyl;

- (c) -O- C1-C6-alkyl, -O-C1-C6-cycloalkyl, -S-C1-C6-alkyl or -S-C1-C6-cycloalkyl, any of which is optionally substituted with one or more of the following substituents: F, CF₃, OH, O-(C1-C4)alkyl, NH2, NH(C1-C4-alkyl), N(C1-C4-alkyl)2, COOH, CN, CONH2, CONH(C1-C4-alkyl), CONH(C1-C4-alkyl)2, SO2NH2, SO2NH(C1-C4-alkyl), tetrazolyl, triazolyl, imidazolyl, oxazolyl, oxadiazolyl, isooxazolyl, thiazolyl, furyl, thienyl, pyrazolyl, pyrrolyl, pyridyl, pyrimidinyl, pyrazinyl, phenyl, piperidinyl, morpholinyl, pyrrolidinyl, or piperazinyl;
- (d) -C0-C4-alkyl-C1-C4-perfluoroalkyl, or -O-C0-C4-alkyl-C1-C4-perfluoroalkyl;
- (e) -O-aryl, or -O-C1-C4-alkyl-aryl, wherein aryl is phenyl, pyridyl, pyrimidinyl, furyl, thienyl, pyrrolyl, triazolyl, pyrazolyl, thiazolyl, isoxazolyl, oxazolyl, or oxadiazolyl, any aryl of which is optionally substituted with 1-3 substituents selected from i) F, Cl, Br, I, ii) -CN, iii) -NO2, iv) -C(=O)(Ra), v) -ORa, vi) -NRaRb, vii) -C₀-4alkyl-CO-ORa, viii) $-(C_0-4alkyl)-NH-CO-ORa, ix) -(C_0-4alkyl)-CO-N(Ra)(Rb), x) -S(O)_0-2Ra, xi)$ -SO₂N(R^a)(R^b), xii) -NR^aSO₂R^a, xiii) -C₁-10alkyl, and xiv) -C₁-10alkyl, wherein one or more of the alkyl carbons can be replaced by a -NRa-, -O-, -S(O)1-2-, -O-C(O)-, -C(O)-O-, -C(O)-N(Ra)-, -N(Ra)-C(O)-, -N(Ra)-C(O)-N(Ra)-, -C(O)-, -CH(OH)-, -C=C-, or -C≡C: or
- (f) CN, N(Ra)(Rb), NO2, F, Cl, Br, I, -ORa, -SRa, -OCON(Ra)(Rb), -OSO2N(Ra)(Rb), $COOR^b$, $CON(R^a)(R^b)$, $-N(R^a)CON(R^a)(R^b)$, $-N(R^a)SO_2N(R^a)(R^b)$, $-C(OR^b)R^a$, -C(ORa)CF3, -C(NHRa)CF3, -C(=0)Ra, C(=0)CF3, -SOCH3, -SO2CH3, -NHSO2(C1-6alkyl), -NHSO2-aryl, SO2N(Ra)(Rb), -CH2OSO2N(Ra)(Rb), SO2N(Rb)-ORa, -C(=NH)NH2, -CR₈=N-OR₈, CH=CH or aryl, wherein aryl is phonyl, pyridyl, pyrimidinyl, furyl, thienyl, pyrrolyl, triazolyl, pyrazolyl, thiazolyl, isoxazolyl, oxazolyl, or

oxadiazolyl, any aryl of which is optionally substituted with 1-3 substituents selected from i) F, Cl, Br, I, ii) -CN, iii) -NO2, iv) -C(=O)(Ra), v) -ORa, vi) -NRaRb, vii) -C0-4alkyl-CO-ORa, viii) -(C0-4alkyl)-NH-CO-ORa, ix) -(C0-4alkyl)-CO-N(Ra)(Rb), x) -S(O)0-2Ra, xi) -SO2N(Ra)(Rb), xii) -NRaSO2Ra, xiii) -C1-10alkyl, and xiv) -C1-10alkyl, wherein one or more of the alkyl carbons can be replaced by a -NRa-, - O-, -S(O)₁₋₂-, -O-C(O)-, -C(O)-O-, -C(O)-N(Ra)-, -N(Ra)-C(O)-, -N(Ra)-C(O)-N(Ra)-, -C(O)-, -CH(OH)-, -C=C-, or -C=C; or when R6 and R7 are present on adjacent carbon

atoms, R6 and R7, together with the benzene ring to which they are attached, can form a bicyclic aromatic ring selected from naphthyl, indolyl, quinolinyl, isoquinolinyl, quinoxalinyl. benzofuryl, benzothienyl, benzoxazolyl, benzothiazolyl, and benzimidazolyl, any of which is optionally substituted with 1-4 independent substituents selected from i) halogen, ii) -CN, iii) -NO2, iv) -CHO, v) -O-C1-4alkyl, vi) -N(C0-4alkyl)(C0-4alkyl), vii) -C0-4alkyl-CO-O(C0-4alkyl), viii) -(C0-4alkyl)-NH-CO-O(C0-4alkyl), ix) -(C0-4alkyl)-CO-N(C0-4alkyl)(C0-4alkyl), x) -S(C0-4alkyl), xi) -S(O)(C1-4alkyl), xii) -SO2(C0-4alkyl), xiii) -SO2N(C0-4alkyl)(C0-4alkyl), xiv) -NHSO2(C0-4alkyl)(C0-4alkyl), xv) -C1-10alkyl and xvi) -C1-10alkyl in which one or more of the carbons can be replaced by a -N(C0-6alkyl)-, -O-, -S(O)1-2-, -O-C(O)-, -C(O)-N(C0-6alkyl)-, -N(C0-6alkyl)-C(O)-, -N(C0-6alkyl)-C(O)-N(C0-6alkyl)-, -C(O)-, -C(O)-C(O)-, -C(O)-, -C(O)-,

with the proviso that compounds of formula I exclude compounds wherein one of R⁴ and R⁵ is hydrogen and the other is 2-OH and two of R⁶, R⁷, and R⁸ are hydrogen and the other is -OH in the para position;

with the proviso that compounds of formula II exclude compounds wherein HET-1 is

and excluding 4-(4-aminophenyl)-6-(4'-methoxybiphenyl-3-yl)pyrimidin-2-amine.

- 2. (Original) The compound according to Claim 1 represented by Formula (I), or a pharmaceutically acceptable salt thereof.
 - 3. (Canceled)
 - 4. (Canceled)
 - 5. (Canceled)
 - 6. (Canceled)

7. (Once Amended) The compound according to Claim 2, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

$$\begin{cases} N & R^1 \\ R^3 & R^2 \end{cases}$$

8. (Once Amended) The compound according to Claim 2, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

9. (Once Amended) The compound according to Claim 2, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

- 10. (Canceled)
- 11. (Once Amended) The compound according to Claim 2, or a pharmaceutically acceptable salt thereof, wherein R6 is other than H and is attached at the ortho position.
- 12. (Original) The compound according to Claim 1 represented by Formula (II), or a pharmaceutically acceptable salt thereof.
- 13. (Original) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

Page 10

HET-2 is

14. (Original) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-2 is

(Original) The compound according to Claim 12, or a 15. pharmaceutically acceptable salt thereof, wherein

HET-2 is

16. (Original) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-2 is

Page 11

17. (Original) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-2 is

18. (Original) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-2 is

19. (Original) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-2 is

20. (Original) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein HET-2 is

- 21. (Cancelled)
- 22. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

$$\begin{cases} N & R^1 \\ R^3 & R^2 \end{cases}$$
 and

HET-2 is

- 23. (Canceled)
- 24. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

25. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

26. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

27. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

28. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

$$\begin{cases} N & R^1 \\ R^3 & R^2 \end{cases}$$

29. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

30. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

31. (Once Amended) The compound according to Claim 12, or a pharmaceutically acceptable salt thereof, wherein

HET-1 is

- 32. (Canceled)
- 33. (Original) A compound represented by

or a pharmaceutically acceptable salt thereof.

34. (Original) The compound of Claim 1 represented by

$$R^{7}$$
 R^{6} R^{2} N N R^{1}

R6	R ⁷	R ²	R1
OCF3	Н	Н	Н
OCF3	Н	Н	\$_\\\\\\\
OCF3	Н	Н	-SCH ₃
OCF ₃	Н	Н	-SO ₂ CH ₃
OCF3	Н	Н	-SOCH ₃
OCF3	Н	Н	NH ₂
OCF3	Н	Н	NHSO2CH3
OCF3	Н	Н	N(SO ₂ CH ₃) ₂
OCF3	Н	Н	NHCO(CH ₃) ₃
OCF3	Н	Н	CON(CH ₃)OCH ₃
OCF3	Н	H	W. N.
OCF3	Н	Н	CH ₃ CO
OCF3	н	Н	CONHC(CH3)2COOCH3
OCF3	Н	н	CONHCH2CH2CN
OCF3	Н	н	CONHC(CH ₃) ₂ COOH

Page 16

R6	R ⁷	R ²	R1
OCF3	Н	Н	CONHC(CH ₃) ₂ CONH ₂
OCF3	Н	Н	CON(CH2CH2)2NH
OCF3	Н	Н	HON AND AND AND AND AND AND AND AND AND AN
OCF ₃	Н	Н	CONHC(CH ₂) ₂ COOCH ₃
OCF3	Н	Н	CONHC(CH ₂) ₂ COOH
OCF3	Н	Н	CONHC(CH ₂) ₂ CONH ₂
OCF ₃	Н	H	CON(CH ₂) ₂ N(CH ₃) ₂
OCF3	Н	Н	CONHCH ₃
OCF3	Н	Н	CON(CH ₃) ₂
OCF3	Н	Н	COOCH3
OCF3	Н	Н	CONHCH(CH ₃)CONH ₂ (S)
OCF3	Н	Н	CON(CH ₂) ₂ N
OCF3	Н	Н	CONHC(CH ₃) ₃
OCF3	Н	Н	CON(CH ₃) ₂ CH ₂ OH
OCF3	Н	Н	CONHCH(CH ₃)CONH ₂ (R)
OCF3	Н	Н	O CONH₂
OCF3	H .	СН3	CH ₃
OCF3	н	CH ₃	СООН
OCF3	Н	СН3	CONH ₂
OCF3	Н	Н	CONHCH2CONH2
OCF3	Н	Cl	СН3
OCF3	н	Cl	CONH ₂

R6	R ⁷	R ²	R1
OCF3	Н	Н	NHCONH2
CF3	Н	Н	СН3
CF ₃	Н	Н	Н
CF3	Н	Н	СООН
CF3	Н	Н	CONH ₂
CF3	Н	Н	F ₃ C
CF3	Н	Н	SH
CF3	Н	Н	S-COCH ₃
CF3	Н	Н	Cl
CF3	Н	Н	CN
CF3	н	Н	PART AND HIND HIND AND HIND HIND AND HIND AND HIND AND HIND AND HIND HIND AND HIND HIND AND H
CF3	5-F	Н	CH ₃
CF3	5-F	Н	соон
CF3	5-F	Н	CONH ₂
CF3	4-F	Н	CONH ₂
CF3	4-Cl	Н	CONH ₂
Cl	6-Cl	н	CONH ₂
CF ₃	6-CF3	Н	соон
CF3	6-CF3	Н	CONH ₂
CF3	4-CF3	Н	CH ₃
CF ₃	4-CF3	Н	СООН

R6	R ⁷	R ²	R1
CF ₃	4-CF3	Н	CONH ₂
CF3	4-CF ₃	Н	₹ N CONH2
O-Ph	Н	Н	СН3
O-Ph	Н	Н	СООН
O-Ph	Н	Н	CONH ₂
Н	O-Ph	Н	CONH ₂
Cl	Н	Н	СН3
Н	3-C1	Н	СН3
-SO ₂ NH-tBu	Н	Н	СН3
-SO ₂ NH ₂	Н	Н	СН3
-CONH-tBu	Н	Н	СН3
-CONH ₂	Н	н	CH ₃
-CONH-tBu	Н	н	СООН
-CONH-tBu	H	Н	CONH ₂
Cl	3-Cl	Н	СООН
Cl	3-C1	Н	CONH ₂
Cl	3-C1	Н	COOCH3
-SO ₂ NH-tBu	Н	Н	СООН
-SO ₂ NH ₂	Н	Н	СООН
-SO ₂ NH-tBu	Н	Н	CONH ₂
-SO ₂ NH ₂	Н	Н	CONH ₂
OtBu	Н	Н	CH ₃

R6	R ⁷	R ²	R1
OtBu	Н	Н	соон
OtBu	Н	Н	CONH ₂
√p-<	Н	Н	CH ₃
2/0-<	Н	Н	соон
√p-<	Н	Н	CONH ₂
OCH ₂ CF ₃	Н	Н	CH ₃
OCH ₂ CF ₃	Н	Н	СООН
OCH ₂ CF ₃	Н	Н	CONH ₂
СНО	Н	Н	CONH ₂
Н	3-CF3	Н	CONH ₂
Н	4-CF3	Н	CONH ₂
Н	3-F	Н	CONH ₂
Н	4-Cl	Н	CONH ₂
Н	4-F	н	CONH ₂
HIN AN	Н	Н	CONH ₂
OCH3	3-OCH3	н	CONH ₂
OCH3	5-Cl	Н	CONH ₂
СН3	Н	Н	CONH ₂
СН3	3-F	н	CONH ₂
St. N-N	Н	Н	CONH ₂
Н	4-(CH ₂ OH)	Н	CONH ₂

R6	R ⁷	R ²	R1
Н	3-Cl	Н	CONH ₂
Н	3-OEt	Н	CONH ₂
Н	4-OEt	Н	CONH ₂
F	н	Н	CONH ₂
СН3	6-CH3	Н	CONH ₂
Н	4-tBu	Н	CONH ₂
Н	4-OCF3	Н	CONH ₂
Н	4-COCH3	Н	CONH ₂
Н	3-COCH3	Н	CONH ₂
Н	3-(CH ₂ OH)	Н	CONH ₂
Н	4-CN	Н	CONH ₂
Н	3-OCF3	Н	CONH ₂
F	4-F	Н	CONH ₂
Н	Н	н	CONH ₂
OCF3	4-N(Me)SO ₂ Me	Н	CH ₃
OCF3	4-N(Me)SO ₂ Me	Н	CONH ₂
OCF3	4-NHCO-tBu	Н	СН3
OCF3	4-NHCO-tBu	Н	СООН
OCF3	4-NHCO-tBu	Н	CONH ₂
OCF3	н	Н	HN N
OCF3	н	Н	or M

R6	R ⁷	R ²	R1
OCF3	н	Н	N N N
OCF3	H	Н	SSS N
OCF3	Н	Н	-CH ₂ CONH ₂
OCF3	Н	Н	-CH ₂ CN
OCF3	Н	Н	-SO ₂ NHtBu
OCF3	Н	Н	-SO ₂ NH ₂
OCF3	Н	Н	-SO ₂ NHMe
OCF3	Н	Н	-CH ₂ OH
OCF3	Н	Н	-СН(Ме)ОН
OCF3	Н	н	-CH ₂ NHCOCH ₃
OCF3	Н	н	-CH ₂ OSO ₂ NH ₂
OCF3	Н	Н	-NHCH3
OCF3	Н	Н	-NH-CH(CH ₃) ₂
OCF3	Н	н	F ₃ CO

or a pharmaceutically acceptable salt thereof.

35. (Original) The compound of Claim 1 represented by

1% ⁻

Page 22

	CONH ₂
	CONH ₂
	CONH ₂
ر کر	CONH ₂
MeO OMe	CONH ₂
\Diamond	CONH ₂
	CONH ₂
50	CONH ₂
	CONH ₂

or a pharmaceutically acceptable salt thereof.

36. (Original) The compound of Claim 1 represented by

R6	R4	R ²	R1	
OCF3	4-F	Н	СН3	
OCF3	4-F	Н	СООН	

Page 23

Case 21230YP

R6	R ⁴	R ²	R1
OCF3	4-F	Н	COOCH3
OCF3	4-F	Н	CONH ₂
CF3	4-F	Н	COOCH3
CF3	4-F	Н	CONH ₂
CF ₃	4-F	Н	СН3
OCF3	2-OCH ₂ Ph	Н	СН3
OCF3	2-OH	Н	СН3
OCF3	4-NHAc	Н	СН3
OCF3	4-NHAc	Н	COOCH3
OCF3	4-NHAc	Н	CONH ₂
OCF3	2-F	Н	СН3
OCF3	2-F	Н	COOCH3
OCF3	2-F	Н	CONH ₂
OCF3	4-Br	Н	СН3
OCF3	4-Br	Н	COOCH3
OCF3	4-Br	Н	CONH ₂
OCF3	4-Br	Н	СООН
OCF3	4-Ph	Н	СН3
OCF3	4-Ph	H	COOCH3
OCF3	4-Ph	Н	CONH ₂
OCF3	4-Cl	Н	СН3
OCF3	4-Cl	Н	COOCH3
OCF3	4-CI	Н	СООН
OCF3	4-Cl	Н	CONH ₂
OCF3	2-Cl	Н	CH ₃
OCF3	2-C1	Н	COOCH3
OCF3	2-Cl	Н	CONH ₂
OCH ₂ CF ₃	4-F	Н	CH ₃
OCH ₂ CF ₃	4-F	Н	COOCH3
OCH ₂ CF ₃	4-F	Н	СООН
OCH ₂ CF ₃	4-F	Н	CONH ₂
Н	4- OCH ₂ CF ₃	Н	CONH ₂

Case 21230YP

Page	24
rage	24

R6	R ⁴	R ²	R1
OCF3	4-F	CH ₃	СН3
OCF3	4-F	CH3	COOCH3
OCF3	4-F	CH ₃	CONH ₂
F	4- OCH ₂ CF ₃	Н	CONH ₂

or a pharmaceutically acceptable salt thereof.

37. (Currently Amended) The compound of Claim 1

represented by

R6	R 2 1
CF3	СН3
CF3	СООН
CF3	CONH ₂
OCF3	CH ₃
OCF ₃	СООН
OCF3	CONH ₂

or a pharmaceutically acceptable salt thereof.

38. (Original) A compound represented by

OCF ₃	N COOH	N CONH ₂
OCF ₃ N COOCH ₃	COCF3 N	N COOH

Page 25

or a pharmaceutically acceptable salt thereof.

(Original) The compound of Claim 1 represented by **39**.

R6	R ¹
OCF3	CH ₃
OCF3	СООН
OCF3	COOCH3
OCF3	CONH ₂

or a pharmaceutically acceptable salt thereof.

40. (Original) The compound of Claim 1 represented by

$$\bigcup_{\mathsf{R}^6} \bigvee_{\mathsf{N}}^{\mathsf{N}} \mathsf{R}^1$$

R6	R1
OCF3	СН3
OCF3	СООН
OCF3	CONH ₂
CF3	CH ₃
CF3	СООН
CF3	CONH ₂

or a pharmaceutically acceptable salt thereof.

- (Canceled) 41.
- 42. (Canceled)
- 43. (Original) A compound represented by

or a pharmaceutically acceptable salt thereof.

- 44. (Original) A pharmaceutical composition comprising a therapeutically effective amount of the compound according to Claim 1, or a pharmaceutically acceptable salt thereof; and a pharmaceutically acceptable carrier.
- 45. (Once Amended) The pharmaceutical composition according to Claim 44, further comprising a second therapeutic agent selected from the group consisting of: i) opiate agonists, ii) opiate antagonists, iii) calcium channel antagonists, iv) 5HT receptor agonists, v) 5HT receptor antagonists vi) sodium channel antagonists, vii) NMDA receptor agonists, viii) NMDA receptor antagonists, ix) COX-2 selective inhibitors, x) NK1 antagonists, xi) non-steroidal anti-inflammatory drugs, xii) selective serotonin reuptake inhibitors, xiii) selective serotonin and norepinephrine reuptake inhibitors, xiv) tricyclic antidepressant drugs, xv) norepinephrine modulators, xvi) lithium, xvii) valproate, and xviii) neurontin.
 - 46. (Canceled)
 - 47. (Canceled)
 - 48. (Canceled)

- 49. (Canceled)
- 50. (Canceled)
- 51. (Canceled)
- 52. (Canceled)
- 53. (Canceled)
- 54. (Canceled)
- 55. (Canceled)
- 56. (Canceled)
- 57. (Canceled)
- 58. (Canceled)